

Kyoto Japan TBR & LTR Range of Tires

Series	No.	Size	Size	Kyoto Japan Pattern	Tire Position	Load Index	Speed Index	PR	Tube Type	Weight Kgs/TTF	Tread Depth MM	Quantity per 40HQ	Rim	Load Dual (Kgs)	Load Single (Kgs)	Pressure (Kpa)	Section Width (MM)	O.D (MM)
Truck & Bus Radial (TBR) Tires																		
24.5	1	11R24.5	11R24.5	KO402	All Position ,On/Off Road	149/146	M	16	TL	59.18	17.00	259	8.25	3000	3250	830	293	1085
			11R24.5	KO431	Steer,Trailer,On Road	149/146	L	16	TL	57.00	14.00	260	8.25	3000	3250	830	279	1104
			11R24.5	KO439	Drive, On Road	149/146	L	16	TL	60.00	20.50	260	8.25	3000	3250	830	279	1104
			11R24.5	KO422	Drive	149/146	M	16	TL	60.71	22.50	250	8.25	3000	3250	830	279	1104
			11R24.5	KO465	Steer,Trailer,On Road	149/146	M	16	TL	55.54	14.50	259	8.25	3000	3250	830	279	1104
	2	285/75R24.5	285/75R24.5	KO431	Steer,Trailer,On Road	147/144	L	16	TL	55.00	14.00	260	8.25	2800	3075	830	283	1050
			285/75R24.5	KO439	Drive, On Road	147/144	L	16	TL	58.00	20.50	260	8.25	2800	3075	830	283	1050
	3	295/75R22.5	295/75R22.5	KO431	Steer,Trailer,On Road	146/143	L	16	TL	52.00	14.00	260	9.00	2725	3000	830	283	1014
			295/75R22.5	KO439	Drive, On Road	146/143	L	16	TL	55.00	20.50	260	9.00	2725	3000	830	298	1014
	24	4	1200R24	1200R24	KO402	All Position ,On/Off Road	160/157	K	20	TT	83.00	17.00	195	8.50	4125	4500	900	315
1200R24				KO402	All Position ,On/Off Road	160/157	K	20	TT	80.20	15.50	195	8.50	4125	4500	900	317	1227
1200R24				KO496	Drive, On Road	160/157	K	20	TT	80.20	17.00	195	8.50	4125	4500	900	317	1227
1200R24				KO425	Drive, On Road	160/157	K	20	TT	95.00	20.50	195	8.50	4125	4500	900	317	1227
22.5	5	315/80R22.5	315/80R22.5	KO402	All Position ,On/Off Road	156/150	L	20	TL	64.00	15.50	235	9.00	3350	4000	850	312	1076
			315/80R22.5	KO405	Steer,Trailer,On Road	156/150	L	20	TL	64.00	15.50	235	9.00	3350	4000	850	312	1076
			315/80R22.5	KO406	Steer,Trailer,On Road	156/150	M	20	TL	64.00	15.30	235	9.00	3350	4000	850	312	1076
			315/80R22.5	KO407	All Position On Road	154/151	M	18	TL	60.92	17.50	240	9.00	3450	3750	830	312	1076
			315/80R22.5	KO408	Drive, On Road	156/150	L	20	TL	65.78	21.00	238	9.00	3550	3750	850	298	1044
			315/80R22.5	KO427	All Position On Road	154/ 151	M	18	TL	66.00	18.00	235	9.00	3450	3750	830	312	1076
			315/80R22.5	KO454	Steer,Trailer,On Road	156/150	L	20	TL	58.00	15.00	241	9.00	3350	4000	850	312	1076
			315/80R22.5	KO436	Drive, On Road	156/150	L	20	TL	73.00	24.00	219	9.00	3350	4000	850	312	1076
			315/80R22.5	KO444	Drive, On Road	156/150	K	20	TL	67.17	22.00	219	9	3350	4000	850	312	1076
	6	295/80R22.5	295/80R22.5	KO405	Steer,Trailer,On Road	152/149	M	18	TL	59.00	14.80	250	9.00	3250	3550	900	298	1044
			295/80R22.5	KO407	All Position On Road	154/152	M	18	TL	58.85	17.00	252	9.00	3550	3750	850	298	1044
			295/80R22.5	KO408	Drive, On Road	154/152	M	18	TL	57.09	21.00	252	9.00	3550	3750	850	298	1044
			295/80R22.5	KO427	All Position, On Road	152/149	M	18	TL	62.00	18.00	250	9.00	3550	3250	900	298	1044
			295/80R22.5	KO490W	Drive Winter, On Road	154/152	M	18	TL	55.57	19.00	252	9	3550	3750	850	298	1044
	7	275/80R22.5	275/80R22.5	KO407	All Position On Road	148/145	L	16	TL	47.30	13.00	294	8.25	2900	3150	830	276	1012
	8	315/70R22.5	315/70R22.5	KO407	All Position On Road	152/ 148	M	18	TL	62.27	15.30	236	9.00	3150	3350	850	312	1014
			315/70R22.5	KO408	Drive, On Road	156/150	L	18	TL	61.21	19.00	252	9.00	3250	3550	930	312	1085
			315/70R22.5	KO469	Steer,Trailer,On Road	154/150	M	18	TL	57.00	15.30	250	9.00	3150	3450	830	312	1014
			315/70R22.5	KO490W	Drive Winter, On Road	152/148	M	18	TL	63.19	19.10	236	9	3150	3350	850	312	1014
	9	275/70R22.5	275/70R22.5	KO400	Steer , Trailer On Road	148/145	M	16	TL	49.00	19.20	320	8.25	2900	3150	900	276	958
275/70R22.5			KO412	All Position, Trailer On Road	148/145	L	16	TL	48.82	15.00	288	8.25	2900	3150	900	276	958	
10	255/70R22.5	255/70R22.5	KO459	All Position On Road	140 /137	L	16	TL	39.91	13.00	364	9.75	3150	3350	900	313	950	
11	445/65R22.5	445/65R22.5	KO413	Trailer On Road	169	K	20	TL	95.12	17.00	124	13	/	5800	900	454	1150	
		445/65R22.5	KO415	Drive On Road	169	K	20	TL	95.12	17.00	124	13	/	5800	900	454	1150	
12	425/65R22.5	425/65R22.5	KO413	Trailer On Road	165	K	20	TL	86.82	16.00	144	12.25	/	5150	825	422	1124	
		425/65R22.5	KO415	Drive On Road	165	K	20	TL	86.82	16.00	144	12.25	/	5150	825	422	1124	
13	385/65R22.5	385/65R22.5	KO413	Trailer On Road	160	K	20	TL	68.62	15.00	192	11.75	/	4250	830	389	1072	
		385/65R22.5	KO415	Drive Construction	160	K	20	TL	68.62	15.00	192	11.75	/	4250	830	389	1072	
		385/65R22.5	KO417	Steer,Trailer,On Road	160	K	20	TL	68.08	15.00	195	11.75	4500	4500	900	389	1072	
		385/65R22.5	KO437	Steer,Trailer,On Road	160	K	20	TL	68.08	15.00	195	11.75	/	4500	900	389	1072	

		385/65R22.5	KO490W	Drive Winter, On Road	160	K	20	TL	69.83	18.50	192	11.75	/	4250	830	389	1072
14	315/60R22.5	315/60R22.5	KO412	All Position, Trailer On Road	152/ 148	L	16	TL	56.00	15.00	236	9.75	3150	3350	900	313	950
		315/60R22.5	KO410	Drive , On Road	152 /148	L	16	TL	57.40	21.00	236	9.75	3150	3350	900	313	950
15	295/60R22.5	295/60R22.5	KO412	All Position, Trailer On Road	149 /146	L	16	TL	50.23	15.00	264	9.00	3250	3000	900	292	926
16	385/55R22.5	385/55R22.5	KO421	Trailer,On Road	160	K	20	TL	67.36	15.00	200	12.25	/	4250	850	386	996
		385/55R22.5	KO413	Trailer,On Road	160	K	20	TL	67.54	15.00	196	12.25	/	4250	850	386	996
		385/55R22.5	KO423	Drive , On Road	160	K	20	TL	67.57	15.00	196	12.25	/	4250	850	386	996
17	13R22.5	13R22.5	KO402	All Position ,On/Off Road	156/150	L	18	TL	68.07	15.00	220	9.75	3350	4000	875	215	805
		13R22.5	KO414	All Position ,On/Off Road	154/150	K	18	TL	65.12	16.50	210	9.75	3450	3750	830	320	1124
		13R22.5	KO420	Drive , On Road	154/150	K	18	TL	67.96	20.00	210	9.75	3450	3750	830	320	1124
18	12R22.5	12R22.5	KO402	All Position ,On/Off Road	152/149L	L	18	TL	64.00	17.50	240	9.00	3250	3550	930	300	1085
		12R22.5	KO405	Steer,Trailer,On Road	150/147	L	16	TL	63.50	14.80	240	9.00	3075	3350	830	300	1085
		12R22.5	KO407	All position On Road	150/147	M	16	TL	61.33	17.80	240	9.00	3250	3550	930	300	1085
		12R22.5	KO408	Drive , On Road	150/147	M	16	TL	63.90	21.00	238	9.00	3250	3550	930	300	1085
		12R22.5	KO427	All Position, On Road	150/147	L	16	TL	65.00	18.00	240	9.00	3075	3350	830	300	1085
19	11R22.5	11R22.5	KO403	All Position On/off Road	148/145	M	16	TL	52.07	15.00	276	8.25	2900	3150	850	279	1054
		11R22.5	KO405	Steer,Trailer,On Road	146/143	M	16	TL	54.00	14.80	270	8.25	2725	3000	730	279	1054
		11R22.5	KO409	Steer/Trailer	146/143	M	16	TL	54.64	15.00	270	8	2725	3000	830	278	1054
		11R22.5	KO427	All Position, On Road	146/143	L	16	TL	58.00	17.50	250	8.25	2725	3000	830	279	1054
		11R22.5	KO444	Drive, On /off Road	146/143	K	16	TL	61.28	23.00	270	8.25	2725	3000	830	275	1075
		11R22.5	KO453	Drive , On Road	148/145	M	16	TL	54.33	18.00	276	8.25	2900	3150	850	279	1054
20	10R22.5	10R22.5	KO407	All Position, On Road	136/134	M	14	TL	48.05	12.00	312	7.50	2650	2800	850	254	1019
21	9R22.5	9R22.5	KO407	All Position, On Road	1.0140845	M	16	TL	40.42	12.00	360	6.75	2120	2240	830	229	974
22	12.00R20	12.00R20	KO402	All Position ,On/Off Road	154/151	L	20	TT	82.00	15.00	220	8.50	3450	3750	830	315	1125
		12.00R20	KO404	All Position ,On/Off Road	154/151	F	18	TT		20.50	220	8.50	3450	3750	830	315	1125
		12.00R20	KO491	Drive,Trailer On/off road	154/151	G	18	TT	88.18	20.50	230	8.50	3450	3750	830	315	1136
		12.00R20	KO453	Drive , On Road	154/151	K	18	TT	85.15	17.00	230	8.50	3450	3750	830	315	1125
		12.00R20	KO424	Drive,Trailer	154/151	K	18	TT	79.33	20.00	230	8.50	3450	3750	830	315	1125
		12.00R20	KO458	Mining	154/151	E	18	TT	92.54	24.50	230	8.50	3450	3750	830	315	1125
		12.00R20	KO457	All Position ,On/off Road	154/151	K	18	TT	87.57	17.00	230	8.50	3450	3750	830	315	1125
		12.00R20	KO402	All Position ,On/Off Road	154/151	K	18	TT	80.85	17.00	230	8.50	3450	3750	830	315	1125
		12.00R20	KO483	Drive,Trailer 22 PR Mining	154/151	K	18	TT	84.42	20.00	230	8.50	3450	3750	830	315	1125
23	11.00R20	11.00R20	KO402	All Position ,On/Off Road	152 /149	K	18	TT	63.00	17.00	238	8.00	3250	3350	930	286	1082
		11.00R20	KO402	All Position ,On/Off Road	¹⁵² 149	K	18	TT	72.57	16.50	240	8.00	3250	3550	930	293	1085
		11.00R20	KO424	Drive,Trailer	152/149	K	18	TT	83.04	20.00	240	8.00	3250	3550	930	293	1085
		11.00R20	KO453	Drive , On Road	152/149	K	18	TT	74.17	16.50	240	8.00	3250	3550	930	293	1085
		11.00R20	KO457	All Position ,On/off Road	152/149	K	18	TT	76.51	16.00	240	8.00	3250	3550	930	293	1085
		11.00R20	KO461	All Position	152/149	K	18	TTF	62.14	16.50	260	8.00	3250	3550	930	293	1085
		11.00R20	KO491	Drive,Trailer On/off road	152/149	G	18	TT	78.90	18.50	240	8.00	3250	3550	930	293	1096
24	10.00R20	10.00R20	KO402	All Position ,On/Off Road	149/146	K	18	TTF	56.00	16.50	280	7.5	3000	3250	930	278	1054
		10.00R20	KO436	Drive, On Road	149/146	K	18	TTF	62.30	18.50	280	7.50	3000	3250	930	278	1054
		10.00R20	KO462	Drive	149/146	K	18	TTF	64.58	19.00	280	7.50	3000	3250	930	278	1054
		10.00R20	KO402	All Position ,On/Off Road	149/146	K	18	TT	65.75	16.00	270	7.50V,8.0	3000	3250	930	278	1054
		10.00R20	KO424	Drive,Trailer	149/146	G	18	TT	68.50	18.50	270	7.50	3000	3250	930	278	1065
		10.00R20	KO453	Drive , On Road	146/143	K	18	TT	65.54	16.00	270	7.50	2725	3000	830	278	1054
		10.00R20	KO457	All Position ,On/off Road	149/146	K	18	TT	70.03	16.00	270	8	3000	3250	930	278	1054
		10.00R20	KO463	Drive	149/146	K	18	TT	62.02	20.50	270	7.50	3000	3250	930	278	1054
25	9.00R20	9.00R20	KO402	All Position ,On/Off Road	144/142	K	16	TT	54.14	15.00	310	7.00	2650	2800	900	259	1019
		9.00R20	KO453	Drive , On Road	¹⁴⁴ 142	K	16	TT	55.20	15.00	310	7.00	2650	2800	900	259	1019

			9.00R20	KO424	Drive,Trailer	144/142	K	16	TT	56.79	16.50	310	7.00	2650	2800	900	259	1030
19.5	26	265/70R19.5	265/70R19.5	KO407	All Position, On Road	140/138	L	16	TL	36.96	13.00	418	7.50	2360	2500	775	262	867
			265/70R19.5	KO412	All Position, Trailer On Road	140/138	L	16	TL	38.58	13.00	418	7.50	2360	2500	775	262	867
	27	245/70R19.5	245/70R19.5	KO412	All Position, Trailer On Road	136/134	L	16	TL	36.11	13.00	400	7.50	2120	2240	825	248	839
			245/70R19.5	KO429	Steer, Trailer ,On Road	136/134	M	16	TL	33.60	13.50	450	7.50	2120	2240	830	248	839
17.5	28	235/75R17.5	235/75R17.5	KO407	All Position, On Road	132/130	M	16	TL	31.03	13.00	550	6.75	2575	2725	875	233	797
			235/75R17.5	KO412	All Position, Trailer On Road	143 /141	J	18	TL	32.27	13.00	550	6.75	2575	2725	860	233	797
			235/75R17.5	KO429	Steer, Trailer ,On Road	132/130	J	16	TL	31.00	13.50	540	6.75	2575	2725	875	233	797
	29	225/75R17.5	225/75R17.5	KO407	All Position, On Road	129/127	L	16	TL	28.47	15.00	570	6.75	1750	1850	725	226	783
	30	215/75R17.5	215/75R17.5	KO410	Drive , On Road	126/124	L	16	TL	29.00	15.00	640	6.00	1600	1750	830	211	767
			215/75R17.5	KO412	All Position, Trailer On Road	135/133	J	18	TL	27.21	12.30	640	6.00	2060	2180	850	211	767
			215/75R17.5	KO429	Steer, Trailer ,On Road	126/124	M	14	TL	26.00	13.00	640	6.00	1600	1700	700	211	767
31	9.5R17.5	9.5R17.5	KO412	All Position, Trailer On Road	143/ 141	J	18	TL	30.81	12.00	510	6.75	2575	2725	830/830	240	842	
Light Truck Radial (LTR) Tires																		
20	1	8.25R20	8.25R20	KO630	All Position	139/137	K	16	TTF	46.50	13.50	500	6.50	2300	2430	930	236	974
16	2	8.25R16 LT	8.25R16 LT	KO630	All Position	128/124	L	16	TTF	34.00	15.50	550	6.50H	1600	1800	770	235	865
			8.25R16 LT	KO634	All Position	128/124	L	16	TTF	37.50	17.00	550	6.50H	1600	1800	770	235	855
			8.25R16 LT	KO636	All Position	128/124	K	16	TTF	34.00	12.00	550	6.50H	1600	1800	770	235	855
			7.50R16 LT	KO630	All Position	124/120	K	16	TTF	29.80	12.00	650	6.00G	1405	1600	800	215	805
	7.50R16 LT	7.50R16 LT	KO634	All Position	124/120	K	16	TTF	32.50	16.00	650	6.00G	1405	1600	800	215	805	
		7.50R16 LT	KO636	All Position	124/120	K	16	TTF	30.00	11.00	650	6.00G	1405	1600	800	215	805	
		7.00R16 LT	7.00R16 LT	KO634	All Position	118/114 L	L	14	TTF	28.00	14.00	660	5.50F	1180	1320	770	200	775
	33	6.50R16 LT	6.50R16 LT	KO634	All Position	110/105	L	12	TT	23.50	12.00	720	5.50F	925	1060	670	185	750