

Kyoto Japan Tire (International) S.A

*Symbol of Quality & Performance***MATERIAL SAFETY DATA SHEET**Page 1 of 12
Release Date : 01/01/2021
Release Nr. : 1**KYOTO JAPAN AIRCONDITIONING & REFRIGERATION GAS R134A**

According to Regulation (EU) N° 1272/2008

SECTION 1 : Identification of substance / mixture and of the company/undertaking**1.1 Product Identifier:**

Product Name : HFC-134a , Kryon®134a
Type of Product : Substance
Remarks : SDS according to Art.31 of Regulation (EC) 1907/2006
SDS Nr : GG_024
Chemical Name : Norflurane
CAS-No. : 811-97-2
Registration Number : 01-211-9459374-33

1.2 Relevant Identified Uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: : Refrigerant, Propellant, Heat Transfer Fluid
Uses advised against : None

1.3. Details of the supplier of the safety data sheet**Information about safety data sheet's supplier Producer / supplier :**

Kyoto Japan Tire (International) S.A
Commercial Office: 1 Carrefour de Rive 1207 Geneva - Switzerland
Tel. +41.218261177
Email: geneva@kyotojap.com
www.kyotojap.com

Emergency number

Centro Antiveleni Ospedale Cà-Granda – Niguarda (MI) - Italy Tél: +39 02 64 44 70 53
Emergency : +39 02 66 10 10 29

SECTION 2: Hazards Identification**2.1 Classification of the substance or mixture****REGULATION (EC) No 1272/2008**

Gases under pressure Liquefied gas
H280 Contains gas under pressure; may explode if heated.

2.2 Label Elements**REGULATION (EC) No 1272/2008**

Kyoto Japan Tire (International) S.A

Symbol of Quality & Performance

Hazard pictograms:

Signal word : Warning

Hazard Statements : H280 Contains gas under pressure; may explode if heated.

Precautionary statements:

P280 Wear protective gloves/ eye protection/ face protection.

P284 In case of Inadequate ventilation wear respiratory protection.

P410 + P403 Protect from sun light. Store in a well- ventilated place.

2.3. Other hazards: Warning! Container Under Pressure.

SECTION 3: Composition/Information on ingredients

3.1. Substance

Chemical Name	CAS-No. Index-No. Registration Number EC-No	Classification n 1272/2008	Concentration	Remarks
Norflurane (Active ingredient)	811-97-2 01-2119459374-33 212-377-0	Press. Gas ; H280	99,8	1*

1* For specific concentration limits see Annexes of 1272/2008

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician immediately.

Skin contact:

Rapid evaporation of the liquid may cause frostbite. In case of contact with liquid, thaw frosted parts with water, then remove clothing carefully. Wash with plenty of water Consult a physician. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re- use.

Eye contact:

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion:

As this product is a gas, refer to the inhalation section. Ingestion is unlikely because of the physical properties and is not expected to be hazardous.

4.2. Most Important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Do not give adrenaline or similar drugs

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media: The product is not flammable.

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

Possibility of generating hazardous reactions during a fire due to the presence of F and Cl groups. Heating will cause pressure rise with risk of bursting

Cool closed containers exposed to fire with water spray.

This product is not flammable at ambient temperatures and atmospheric pressure.

However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.

5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures**6.1. Personal Precautions, protective equipment and emergency procedures**

Immediately contact emergency personnel. Wear personal protective equipment.

Unprotected persons must be kept away. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. The product evaporates readily.

6.3. Methods and materials for containment and cleaning up

Ventilate the area.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling:

Open drum carefully as content may be under pressure. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not use in areas without adequate ventilation.

Contaminated equipment (brushes, rags) must be cleaned immediately with water.

Hygiene measures:

Provide adequate ventilation. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8 : Exposure controls / personal protection

8.1. Control parameters

Occupational exposure limits :

Components	Basis / Value Type	Value / Form of exposure	Exceeding Factor	Remarks
Norflurane	Twa	1'000 ppm		
Norflurane	EH40 WEL TWA	4'240 mg/m3 1000 ppm		

TWA – Time weighted average

DNEL / PNEC-VALUES

Component		End-use / Impact	Exposure Duration	Value	Exposure routes	Remarks
Norflurane		Workers / Long-term systemic effects		13936 mg/m3	Inhalation	
Norflurane		Consumers / Long-term systemic effects		2476 mg/m3	Inhalation	

Component	Environmental compartment / Value	remarks
Norflurane	Fresh water : 0,1 mg/l	Assessment factor : 1'000
Norflurane	Marine water : 0,01 mg/l	Assessment factor : 10'000
Norflurane	Fresh water sediment : 0,75	Assessment factor : 100
Norflurane	Sew age treatment plant : 73	Assessment factor : 10

8.2. Exposure controls

Occupational exposure Controls

The Personal Protective Equipment must be in accordance with EN standards:

Respirator EN 136,140, 149;

Safety glasses EN 166;

Protective suit: EN 340, 463, 468, 943-1, 943-2;

Gloves EN 374,

Safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. Self-contained breathing apparatus (EN 133)

Hand protection:

Glove material: Viton (R) Break

through time: > 480 min Glove

thickness: 0,7 mm Vitoject® 890

Protective gloves against cold (EN 511)

Gloves must be inspected prior to use.

Replace when worn.

Remarks:

Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer´s directions for use should be observed because of great diversity of types.

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety glasses with side-shields conforming to EN166 Face-shield

Kyoto Japan Tire (International) S.A

Symbol of Quality & Performance

Skin and body protection:

Protective footwear

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : Liquefied gas

Colour : colourless

Odour : weak

Molecular weight : 102,02 g/mol

Melting point/range : -101 °C Boiling
point/boiling range : -26,2 °C Flash point : Not
applicable Flammability (solid,gas): no data
available Ignition temperature : > 750 °C
Lower explosion limit : no data available Upper
explosion limit : no data available Vapour pressure :
5.915 hPa at 21,1°C
Vapour pressure : 14.713 hPa at 54,4 °C

Density : 1,2 g/cm³

pH : neutral

Water solubility : 1,5 g/l Partition
coefficient:
n- octanol/water : log Pow 1,06 The product is more soluble in octanol. Relative
vapour density : 3,5
Evaporation rate : > 1 Method: Compared to CCl₄.

9.2. Other Information

no additional data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable under normal conditions. Hazardous polymerisation does not occur.

10.2. Chemical stability

no data available

10.3. Possibility of hazardous reactions

no data available

10.4. Conditions to avoid

Heating will cause pressure rise with risk of bursting
Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

10.5. Incompatible materials

oxidizing substance
Possible incompatibility with alkali sensitive materials. Powdered metals

10.6. Hazardous decomposition products

Halogenated compounds Hydrogen fluoride Carbonyl halides Carbon oxides

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Acute oral toxicity:

Not applicable

Acute dermal toxicity:

no data available

Acute inhalation toxicity:

LC50

Species: Rat

Value: > 500000 ppm

Exposure time: 4 h

Skin irritation:

no data available

Eye irritation:

no data available

Respiratory or skin sensitisation:

no data available

Kyoto Japan Tire (International) S.A**Symbol of Quality & Performance*****Carcinogenicity:***

Note: Not classified as a human carcinogen. Substance not expected to be a carcinogen based on available data.

Germ cell mutagenicity:

Test Method: Ames test Result:
negative Method: OECD Test Guideline
471

Species: Mouse Result:
negative

Reproductive toxicity:

Species: Mouse Route of Application: Inhalation
General Toxicity - Parent: NOEL: 50.000 ppm
Method: OECD Test Guideline 414
Species: Rabbit
Route of Application: Inhalation

General Toxicity Maternal: NOEL: 2.500
ppm Embryo-fetal toxicity: NOEL: 40.000
ppm

Aspiration hazard:

no data available

Other information:

no data available

SECTION 12: Ecological Information**12.1. Toxicity*****Toxicity to fish:***

LC50
semi-static test
Species: Oncorhynchus mykiss
(rainbow trout) Value: 450 mg/l

Exposure time: 96 h
Method:
92/69/EEC, C.1

Toxicity to aquatic plants:

Growth rate
Species: Selenastrum capricornutum
(green algae) Value: > 118 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Kyoto Japan Tire (International) S.A

Symbol of Quality & Performance

Toxicity to Microorganisms:

EC10

Growth inhibition Species:

Pseudomonas putida

Value: > 730 mg/l

Exposure time: 6 h

Toxicity to aquatic invertebrates:

EC50

static test

Species: *Daphnia magna*

(Water flea) Value: 980 mg/l

Exposure time: 48 h

Method: EEC 92/69/V, C2

12.2. Persistence and degradability

Biodegradability :

Biodegradation 3%

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

Exposure time: 28 d

Result: Not rapidly biodegradable Method: OECD 301 D

12.5. Results of PBT and vPvB assessment

Results PBT Assessment : This substance is not considered to be present,
bioaccumulating and toxic (PBT).

This substance is not considered to be very persistent
and very bioaccumulating (vPvB)

12.6. Other adverse effects

Accumulation in aquatic organisms is unlikely.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Product:**

Offer surplus and non-recyclable solutions to a licensed disposal company. Refer to manufacturer/supplier for information on recovery/recycling. Classification: 14.06.01

Further information: Provisions

relating to waste: EC Directive
2006/12/EC; 2008/98/EEC
Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport Information**ADR/RID**

UN Number : 3159

Description of the goods : 1,1,1,2-TETRAFLUOROETHANE

Class : 2

Classification Code : 2A

Hazard Identification : 20

Number

ADR/RID-Labels : 2.2

Environmentally hazardous : no

IATA

UN Number : 3159

Description of the goods : 1,1,1,2-TETRAFLUOROETHANE

Class : 2.2

Hazard Labels : 2.2

IMDG

UN Number : 3159

Description of the goods : 1,1,1,2-TETRAFLUOROETHANE

Class : 2.2

Hazard Labels : 2.2

EmS Number : F-C, S-V

Marine pollutant : no

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Other inventory information**

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List
On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances On the inventory, or in compliance with the inventory

NZIOC - New Zealand
On the inventory, or in compliance with the inventory

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

Kyoto Japan Tire (International) S.A

Symbol of Quality & Performance

SECTION 16: Other information

Text of H-statements referred to under heading 3

Norflurane :H280 Contains gas under pressure; may explode if heated.

Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS

Chemical Abstracts Service DNEL

Derived no effect level PNEC

Predicted no effect level

vPvB Very persistent and very bioaccumulative substance

PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.